FOR OFFICIAL USE ONLY
DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK
LOG BOOK

OF THE

U.S.S. ABNAKI

ATF-96
IDENTIFICATION NUMBER

COMMANDED BY

LIEUTENANT JAMES R. Williams, U.S.N.

Attached to
_______________ Division,
SERVICE Squadron FIVE Squadron,
_______________ Flotilla,
SERVICE FORCE, U.S. PACIFIC Fleet,
FOURTEENTH Naval District,

Commencing +10W 1 Feb, 1966,
(zone time and date)
at U.S. NAVAL STATION, Pearl Harbor, Hawaii,
(location)
and ending +10 28 Feb, 1966,
(zone time and date)
at U.S. NAVAL STATION, Pearl Harbor Hawaii
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE TUESDAY (Day) 1 (Date) FEB (Month) 1966

~~AT/PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L ________	BY ____	
λ ________	BY ____	

POSITION	ZONE	TIME
1200		
L ________	BY ____	
λ ________	BY ____	

POSITION	ZONE	TIME
2000		
L ________	BY ____	
λ ________	BY ____	

LEGEND:
1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 MOORED PORT SIDE TO BERTH A-2 U.S. NAVAL STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE (MODIFIED) SET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT. 0630 QUARTERS FOR MUSTER. ABSENTEES: NONE. 0645 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. 0700 SET MATERIAL CONDITION YOKE. 0710 SET THE SECTIONAL SEA DETAIL. 0743 UNDERWAY IN ACCORDANCE WITH COMFLTRAGRU WEEKLY OP-SKED 5-66 TO CONDUCT LOCAL OPERATIONS. CAPTAIN AND NAVIGATOR ON THE BRIDGE; OOD AT THE CONN. MANEUVERING TO CLEAR THE PIER. 0748 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE LEAVING PEARL HARBOR. 0752 PASSED BUOY 7 ABEAM TO STARBOARD, 100 YDS. 0753 PASSED BUOY 5 ABEAM TO STARBOARD, 150 YDS. 0755 PASSED BUOY 3 ABEAM TO STARBOARD 200 YDS. 0756 PASSED BUOY 1&2 ABEAM. SET COURSE ~~192~~, 196 SPEED 10. MJM

LTJG M.S. Morisette, USN

08-12 Underway as before. ~~0804 c/c 196°~~ 0802 c/c 248° 0809 c/s 9.5 kts. 0815 c/c 151°. 0825 entered international waters, c/c 090°, secured the special sea and anchor detail and set the regular underway watches. 0834 commenced conducting general Engineering drills, with FTG observers. 0906 C/C 100°. 1007 c/c 270°. 1011 c/s 9.5 kts. 1112 c/s 6.7 kts. 1141 secured from Engineering drills. 1146 C/C 000°, c/s 3.3 kts. JdH

ENS J.d. Hollis, USN

12-16 Underway as before. 1210 C/C to 050°. 1217 C/s to 10 kts. 1221 C/C to 331° 1225 C/C to 270° 1226 C/C to 331° 1227 C/s to 6.7 kts. Commenced transiting of minefield exercise. Steering various courses at various speeds while exercising at minefield transit. 1248 Commenced conducting general engineering drills. 1445 Entered inland waters. 1456 Secured from transiting of minefield. Commenced exercising at general quarters. *1501 Material Condition Zebra Set. *1457

APPROVED:

LT James R [illegible] U. S. N. COMMANDING

EXAMINED:

LT R.S. Rasen U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96)

DATE TUESDAY 1 FEB. 1966
(Day) (Date) (Month)

REMARKS-CONTINUED

12-16 (Continued) c/c to 280°. 1500. c/s to stop c/c to 270° 1502 c/s to back 6.7 kts. 1503 c/s to 6.7 kts 1504 c/c to 180° 1505. Entered International waters. 1535 Commenced abandon ship drill. 1538 c/s to 9.5 kts. 1539 material condition Yoke set. 1541 Secured from abandon ship drill. ~~1545~~ c/c to 090°. 1545 Secured from General Quarters. 1547 c/c to 060°. 1553 c/s to stop. 1556 c/c to 310°, c/s to 6.7 kts. 1558 c/c to 340°. FCH

Ens. F. C. Higgins, USNR

16-20 Underway as before. 1600 c/c to 000°, 1601 c/s to ~~6.7~~ 3.3 kts FCH 1612 c/c to 330° 1615 c/s to 6.7 kts. 1616 c/c to 060°. 1620 c/c to 330°. 1624 c/c to 338° 1627 c/s to 3.3 kts. 1630 c/c to 330° COMMENCED streaming buoy. 1631 c/s to stop 1632 Entered Inland waters. c/c to 320° 1634 Anchored in anchorage no.5 off of Barbers Point, Hawaii in 11 fathoms of water using after anchor, maneuvering on various courses at various speeds preparing to drop forward anchor for a two-point moor. 1647 anchored in 10 fathoms of water, gray sandy bottom with forward and after anchor. EWA Bluff 330.5°, Hickam 049°. AIEA 293.5° 30 fathoms of chain on deck. 1722 Hoisted in forward anchor. maneuvering on various courses at various speeds while heaving in on after anchor. 1737. after anchor broke ground, stopper is passed 1740 anchor is secured, c/s to 9.5 kts * 1744 c/c to 081° *c/c to 090° c/s to 12.3 KTS. ~~1747 Entered Inland waters~~ FCH 1801 c/c to 355°. 1803 passed sea buoy no.1 to starboard inbound for Alfa Two maneuvering on various courses at various speeds while standing into Pearl Harbor. * FCH 1811 passed sea buoy no.5 abeam to starboard 50 yards. 1813 Captain is on the bridge 1823 moored portside to Alfa Two, Pearl Harbor Hawaii, with standard mooring lines doubled. Receiving miscellaneous services from the pier. S.O.P.A. is CINCPACFLT. * 1815 steering various courses at various speeds while approaching berth A-2 (Alfa-Two) FCH

Ens. F. C. Higgins, USNR

20-24 Moored as before.

CWO J. L. Hollis, USN

APPROVED: LT James R. U. S. N. COMMANDING

EXAMINED: LT R S Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
1A-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE WEDNESDAY 2 FEBRUARY 1966
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND:
1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 Moored port side to berth alfa Two (A-2) U.S. Naval station Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition yoke (modified) set. Receiving telephone and potable water service from the pier. Ships present include various units of the U.S. Pacific Fleet, district and small craft. S.O.P.A. is Deputy CinCpac Flt. 0630 mustered the crew at Quarters. absentees: None. Commenced making preparations for getting underway. 0640 material condition yoke set. Set the Special Sea detail. 0655 all stations report manned and Ready. Captain and Navigator are on the Bridge. OOD has the conn. 0701 Underway in accordance with ComFltraGpu OPord 5-66 for local ops. Maneuvering on various courses at various speeds standing clear of berth. 0715 on course 175° speed 9.5 Kts. 0717 passed buoy #6 abeam to port, 75 yards, C/C 153° 0718 secured the Special Sea detail and set watch condition III, set material condition Zebra. 0720 passed buoy #2 to Stbd. 100 yds. C/S 10 Kts. 0724 C/C 196° commence transiting simulated mine field. 0732 C/C 110°, 0733 entered International Waters. 0735 C/C 130° 0941 C/C 105° 0746 C/S 12.8 KTS. 0749 C/S 13.3 KTS. Secured from condition III watch set material condition yoke, set the regular underway watch.

CWO J.D. Hollis, USN

08-12. Underway as before. 0811 C/C to 180°. 0921 C/C to 150. 0931 Exercised the crew at general quarters. 0933 C/S to 12.3 kts. 0935 Material Condition Zebra set. Commenced steering various courses at various speeds while at General Quarters. 0944 Commenced gunnery exercise. 1013 Commenced firing to starboard. 1016 Ceased fire. 1113 Commenced firing to port. 1116 Ceased fire. 1129 Commenced firing to starboard. 1131 Ceased fire. 1134 Commenced firing to port. 1137 Ceased fire. 1139 Commenced firing to starboard. 1141 Set material Condition Yoke* 1142 C/C to 290°, C/S to 9.5 kts. 1144 Secured from General Quarters JH

APPROVED: EXAMINED:

Lt James A U. S. N. COMMANDING LT RD Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) DATE WEDNESDAY 2 FEB. 1966
(Day) (Date) (Month)

REMARKS-CONTINUED

* Ceased fire. Ammunition expended 24 rounds 3"/50 VTL projectiles with no casualties. 1145 c/s to 12.3 kts. 1152 c/s to 12.8 kts.

Ens F.C. Higgins, USNR

12-16 Underway as before. 1239 Held steering casualty drill. 1241 c/s to 12.3 kts. 1245 secured from steering casualty drill 1253 c/c to 285. 1327 c/c to 310°. 1334 c/c to 300°. 1337 c/c to 280°. 1344 Exercised the crew at general Quarters. Maneuvering on various course at various speeds while conducting gunnery exercise. 1347 Material Condition Zebra is set. 1358 Commenced gunnery exercise with U.S.S. UTE (ATF-76) towing target sled. 1405 Commenced firing. 1407 Ceased fire, ~~completed gunnery exercise~~. 1410 Commenced gunnery exercise, commenced fire. 1415 cease fire, completed gunnery exercise. 1420 Commenced gunnery exercise 1425 Commenced fire. 1440 Completed gunnery exercise, Cease fire. 1444 Set material Condition Yoke. 1447 Secured from general Quarters, set the regular underway watch, ammunition expended: 25 rounds of BLP/T, 3 rounds of AA common. 1506 Base course 040, Base speed 12.3 kts. 1547 c/c to 053. 1548 c/c to 035. 1550 c/c to 050.

LTJG D.F. Johnson, USNR

16-20 Underway as before. 1601 c/c to 040°. 1630 made all preparations for entering port. c/s to 10 kts. 1633 c/s to 3.0 kts. c/c to 032. 1636 c/c to 029. 1640 c/c to 019; c/s to 10.0 kts. 1644 c/c to 331. *1653 c/c to 068. 1656 c/c to 064. 1701 c/c to 016. 1702 Set the special sea and anchor detail. Commenced steering various courses at various speeds while entering Pearl Harbor channel. 1722 Moored port side to berth A-2, U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, Yard and District craft. S.O.P.A. is DEPCINCPACFLT. 1725 Secured the special sea and anchor detail

LTJG M.J. Morisette, USN

*Entered inland waters.

20-24 Moored as before. 1800 Set material Condition Yoke (modified).

Ens F.C. Higgins, USNR

APPROVED: EXAMINED:

LT James R. [illegible] U. S. N. COMMANDING LT R.S. Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
1A-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI(ATF-96) ZONE DESCRIPTION +10W DATE THURSDAY 3 FEB. 19 66
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ Pearl HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 Moored portside to berth Alfa-Two, U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Material Condition Yoke (modified) set. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, District and Small craft. S.O.P.A. is deputy CINCPACFLT. 0630 Mustered the crew at quarters; absentees, none. Commenced preparations for getting underway. Set material Condition Yoke. 0710 Stationed the Special Sea and Anchor detail. 0719 Completed all preparations for getting underway. Draft forward 13'9", aft 15'1". 0732 Underway for Middle Loch, Pearl Harbor, Hawaii in compliance with FLTRAGRU Op-Order 5-66. Maneuvering to clear the berth. Captain, navigator on the bridge. 0745 Commenced steering various courses at various speeds conforming to Pearl Harbor Channel. 0759 Passed channel buoy no. 18 abeam to stbd.

Ens. F. C. Higgins, USNR

08-12 Underway as before. 0807 c/c to 342°. 0808 lowered the motor whaleboat. Commenced steering various courses at various speeds conforming to North Channel. 0811 Cast off the motor whaleboat. 0834 All Engines back 3.0 kts. 0835 All Engines stopped, c/s to back 3.0 kts, c/s to back 3.3 kts. 0836 Maneuvering on various courses at various speeds in preparation for laying Beach gear.

Ens. F. C. Higgins, USNR

08-12 (con't) ^Underway as before 0850 steady on ells anchor drop bearing (048° ~~230°~~). ^30# 0908 Commenced Beach Gear Exercise in the vacinity of Buoy X-12-S. 0911 let go the ells Anchor on the following bearings. Signal Tower Ford Island 103°, After range 256°, platform 356°, mud bottom in Five fathoms of water. 0918 ells anchor pendant and crown buoy cast off. 0922 anchored by the starboard anchor in Eleven fathoms of water with thirty fathoms of chain at the waters edge, on the following bearings, after range Ford Island

APPROVED:
LT James R. Williams U. S. N. COMMANDING

EXAMINED:
LT R. D. [illegible] U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96)

DATE THURSDAY 3 FEBRUARY 1966
(Day) (Date) (Month)

REMARKS-CONTINUED

08-12 (con't) 250°, Signal tower 173° and Small Island 131°. Mud bottom. 0940 paying out towing Hawser. 0945 operations department commenced Signal drills with USS TOMBIGBEE (AOG-11). 0954 Tow wire is connected to Buoy X-12-S. 1011 Anchor broke ground, heaving up. 1114 Anchor is housed. Maneuvering to pick up beach gear wire. 1021 let go the port anchor in five fathoms of water, to short stay, on mud bottom. 1037 beach gear pendant on board. Anchor away. 1056 anchor housed. Commenced taking strain on beach gear. 1133 Secured the beach gear detail, set safety watch and two point moor watch.

CWO J L Hollis. USN

12-24 Anchored as before 1228 set Beach gear Detail 1232 all stations manned and ready. 1237 Commenced Retrieving towwire and beach gear. 1250 Towwire on board. 1602 Ells anchor aboard. 1603 Commenced making preparations for getting underway 1604 Secured Beach Gear Detail and set Special Sea and anchor Detail. 1607 Underway for Berth Hotel-Four (H-4), U.S. Naval Supply Center, Pearl Harbor Hawaii, in accordance with COMFLETRAGRU OP-ORDER 5-66. Captain and Navigator on the bridge. OOD has the Conn. Maneuvering on Various Courses at various speeds while conforming to the Channel enroute to berth Hotel-Four (H-4). Commenced Maneuvering on Various Courses at Various speeds enroute to berth Hotel-Four (H-4) 1620 Commenced making approach to berth Hotel-Four (H-4) 1632 Moored starboard side to USS Genisee (AOG-8), in a nest of two ships, with mooring lines doubled, at berth Hotel-Four (H-4), U.S. Naval Supply Center, Pearl Harbor, Hawaii. Ships Present include Various Units of the U.S. Pacific Fleet, Yard and District Craft. SOPA is DEPCINCPACFLT. 1637 Secured Special Sea and anchor Detail set the regular inport watch. 1800 Set Material Condition Yoke modified.

LTJG D. F. Johnson, USNR

APPROVED:
LT James [illegible] U. S. N. COMMANDING

EXAMINED:
LT R D Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
1A-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE FRIDAY (Day) 4 (Date) FEB (Month) 1966

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND:
1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 Moored Starboard side to USS Genesee AOG-8, in a nest of two ships, at berth Hotel Four - (H-4); U.S. Naval Supply Center, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving miscellaneous services from the pier. Ships present include Various Units of the U.S. Pacific Fleet, Yard and District craft. Material Condition Yoke Modified is set. SOPA is Deputy CINCPAC FLT. 0730 Mustered the crew at Quarters, absentees: None.

LTJG D F Johnson, USNR.

08-24 Moored as Before. *1800 Set material Condition YOKE (Modified) *1300 Exercised the crew at general drills.

LTJG M S Morisette, USN

APPROVED: LT James R Williams U. S. N. COMMANDING

EXAMINED: LT DD Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
1A-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE SATURDAY 5 FEB. 1966
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND:
1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D.R.

REMARKS

00-08 Moored starboard side to the port side of USS GENNESSE AOG-9 at Berth H-4, U.S. Naval Supply Center, Pearl Harbor, Hawaii with standard mooring lines doubled. Material Condition Yoke (modified) set. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific fleet, yard and district craft. SOPA is DEPCINCPACFLT. 0630 Mustered the crew at quarters. Absentees: none. 0645 Set material condition Yoke. Made all preparations for getting underway 0710 Completed all preparations for getting underway. Set the special sea and anchor detail. 0718 Comy SERV RON 5 onboard, broke CSR-5's ~~Flag~~ PENNANT. 0720 Captain and navigator are on the bridge. OOD has the conn. all stations manned and ready to get underway. 0722 Underway in accordance with ComFLTRA GRU op-order 5-66. commenced maneuvering on various courses and speeds while clearing side of Gennesse and heading fair. 0726 Steady on Course 230° - Speed 10 Kts. 0735 C/C 234°, C/S 3.3 Kts. 0736 C/C 243°, C/S 6.7 Kts. 0740 C/C 238°, C/S 10 Kts. 0742 passed Buoy #20 abeam to port 100 yards. 0743 C/C 180°. 0749 Secured the special sea and anchor detail, set Condition III watch I. 0750 C/C 168°. 0754 C/C 153° Base course. passed Buoy #6 abeam to port, 75 yards.

LTJG M J Morissette, USN

08-12 Underway as before. 0802 C/C 196°. 0810 entered International waters. 0811 C/C 248°. 0819 C/C 151°. 0829 Commenced maneuvering on various courses at various speeds in preperation for RFS battle problem, in op area (South Pearl). 0850 LT NASON Has the Conn and Deck. Exercised the crew at General Quarters. 0852 material condition Zebra set. Commenced General drills. 0945 commenced nuclear warfare exercises. 1025 Secured from General Quarters drills. Commenced making preperations for entering port. Set the Special Sea and Anchor detail. captain + navigator are on the bridge. Steering course 155, Speed 7.5 Kts. 1030 entered inland waters. C/C 333°, 1037 all stations manned and ready to enter port. 1042 passed Buoys 1+2 abeam to port & stbd respectively. C/C 10 Kts. 1049 passed

APPROVED: LT James R Williams U. S. N. COMMANDING

EXAMINED: LT R S Nason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) DATE SATURDAY 5 Feb-, 1966
(Day) (Date) (Month)

REMARKS-CONTINUED

08-12 (con't) buoy #6 abeam to stbd. 75 yards, C/C 345°. 1100 C/S 9.5 Kts. 1101 C/C 055° passed buoy # 18 to stbd. 125 yds. 1103 Commenced steering various courses at various speeds while transiting inner Pearl Harbor, proceeding to Sierra berths. 1112 commenced approach to berth. 1120 moored Starboard side to berth Sierra Eighteen (S-18) Forward, U.S. Naval Submarine Base, Pearl Harbor, Hawaii. SOPA is CinCPacFLT. 1125 Secured the special Sea and anchor detail, All lines doubled. Set the regular inport watch. 1130 Com Serv Ron - Five departed - Hauled down pennant.

CWO JL Hollis, USN

12 ~~-16~~ ~~20~~ 24 moored as before. 1245 Commenced [illegible] receiving miscellaneous services from the pier. 1815 set material condition yoke and exercised the ~~Or~~ duty inport fire party. Absentees: None.

CWO JL Hollis, USN

APPROVED: EXAMINED:

LT James [illegible] U. S. N. COMMANDING LT [illegible] U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
1A-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE SUNDAY (Day) 6 (Date) FEBRUARY (Month), 1966

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND:
1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 moored Starboard side to berth Sierra Eighteen Forward (S-18 FWD), U.S. naval station Pearl Harbor, Hawaii, with std. mooring lines doubled. material condition yoke (modified) set. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet District and Small craft. S.O.P.A is CinC Pac Flt. 0745 mustered the crew on stations. Absentees; none.

CWO J.L. Hollis, USN

08-24 Moored as before. 1800 Set material Condition Yoke (modified).

Ens. F.C. Higgins, USNR

APPROVED:

LT James R. [illegible] U. S. N. COMMANDING

EXAMINED:

LT R S Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE MONDAY 7 FEBUARY 1966
(Day) (Date) (Month)

AT~~/PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND:
1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 Moored Starboard side to berth Sierra Eighteen (S-18) forward. U.S Naval Submarine Base, Pearl Harbor, Hawaii, with std. mooring lines doubled. Material Condition Yoke (modified) set. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, District and Small craft. S.O.P.A is CinCPacFlt. 0745 mustered the crew at quarters; absentees, none

Ens T.C. Higgins, USNR

08-24 Moored as before. 1800 set material condition Yoke modified

LTJG DJ Johnson, USNR.

APPROVED:

LT James P. [illegible] U. S. N. COMMANDING

EXAMINED:

LT RS Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE TUESDAY 8 FEB. 1966
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION ZONE TIME 0800
L ______ BY ______
λ ______ BY ______

POSITION ZONE TIME 1200
L ______ BY ______
λ ______ BY ______

POSITION ZONE TIME 2000
L ______ BY ______
λ ______ BY ______

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 Moored starboard side to berth Sierra-18 Forward (S-18), U.S. Naval Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving miscellaneous services from the pier. Material Condition Yoke modified is set. Ships present include various Units of the U.S. Pacific Fleet Yard and District craft. SOPA is CINC PAC FLT. 0745 Mustered the crew at quarters. absentees: none.

LTJG D J Johnson, USNR

08-24 Moored as before. 1800 Set material Condition YOKE (modified)

LTJG M J Morisette, USN

APPROVED:
Lt James R. [illegible] U. S. N. COMMANDING

EXAMINED:
LT D S Moon U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE WED (Day) 9 (Date) FEB (Month), 1966

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND:
1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 MOORED STARBOARD SIDE TO BERTH S-18 FORWARD, U.S. NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE (MODIFIED) SET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE

LTJG M. G Morisette, USN

08-24 moored as before. 1800 set material condition yoke (modified). mustered the duty section for instructions. absentees: None. 1915 CincpacFlt departed pearl Harbor. SOPA passed to Deputy CincpacFlt.

CWO JL Hollis, USN

APPROVED: EXAMINED:

LT James R [illegible] U. S. N. COMMANDING LT RD [illegible] U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE THURSDAY (Day) 10 (Date) FEBRUARY (Month) 19 66

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 Moored Starboard side to Sierra Eighteen (S-18) Forward, U.S. Naval Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Material Condition Yoke (modified) set. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, District and Small craft. S.O.P.A is Deputy CinCPACFLT. 0745 mustered the crew at quarters; absentees, none.

CWO J.L. Hollis, USN

08-24. Moored as before. 1315 COMSERVRON FIVE came on board and commenced personnel and material inspection.* 1540* COMSERVRON FIVE completed personnel and material inspection and left the ship. 1600 Set material Condition Yoke (modified). * Broke pennant of SERVRON FIVE 1541 Hauled down pennant of SERVRON FIVE

Ens. F. C. Higgins, USNR

APPROVED: LT James R Williams U. S. N. COMMANDING

EXAMINED: LT RS Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
1A-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE FRIDAY 11 FEBRUARY 19 66
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L ____ BY ____		
λ ____ BY ____		

POSITION	ZONE	TIME
1200		
L ____ BY ____		
λ ____ BY ____		

POSITION	ZONE	TIME
2000		
L ____ BY ____		
λ ____ BY ____		

LEGEND:
1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D.R.

REMARKS

00-08 MOORED STARBOARD SIDE TO BERTH SIERRA EIGHTEEN (S-18) FORWARD. U.S. NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE (MODIFIED) SET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, DISTRICT AND SMALL CRAFT. S.O.P.A. IS DEPUTY CINCPACFLT. 0745 MUSTERED THE CREW AT QUARTERS; ABSENTEES; NONE.

Ens. L C Higgins, USNR

08-24 Moored as before. 1800 Set Material Condition Yoke Modified.

LTJG D F Johnson, USNR

APPROVED: LT James R Williams U. S. N. COMMANDING

EXAMINED: LT RS Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE SATURDAY 12 FEB , 19 66
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND:
1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 Moored starboard side to berth Sierra Eighteen (S-18) Toward U.S. Naval Submarine Base, Pearl Harbor, Hawaii with 'standard mooring lines doubled.' Receiving miscellaneous services from the pier. Material Condition (Yoke Modified) is set. Ships Present include Various Units of the U.S. Pacific Fleet, yard and District craft. SOPA is Deputy CINCPAC FLT. 0745 Mustered the crew at Quarters: Absentees: None.

LTJG D F Johnson, USNR

08-24 Moored as Before. 1800 Set material Condition YOKE (modified).

LTJG M G Morisette, USN

APPROVED: Lt James R Williams U. S. N. COMMANDING

EXAMINED: Lt R D Nosser U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
1A-0105-401-4601

DECK LOG - REMARKS SHEET

USS Abnaki ATF-96 ZONE DESCRIPTION +10 DATE Sunday 13 February 1966
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

POSITION ZONE TIME	POSITION ZONE TIME	POSITION ZONE TIME	LEGEND:
0800	1200	2000	1-CELESTIAL
L ______ BY ____	L ______ BY ____	L ______ BY ____	2-ELECTRONIC
λ ______ BY ____	λ ______ BY ____	λ ______ BY ____	3-VISUAL
			4-D. R.

REMARKS

00-08 Moored starboard side to berth S-18, forward, U.S. Naval Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition YOKE (modified) set. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet yard and district craft. SOPA is DEPCINCPACFLT. 0745 mustered the crew on station. Absentees: none.

LTJG M J Morisette, USN

08-24 moored as before. 1800 set material condition yoke (modified). mustered the duty section for instruction. Absentees: none.

CWO J.A. Hollis. USN

APPROVED: EXAMINED:

LT James R. Williams U. S. N. COMMANDING LT RS Moser U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
1A-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE MONDAY 14 FEBRUARY 1966
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION ZONE TIME	POSITION ZONE TIME	POSITION ZONE TIME	LEGEND:
0800	1200	2000	1-CELESTIAL
L ____ BY ____	L ____ BY ____	L ____ BY ____	2-ELECTRONIC
λ ____ BY ____	λ ____ BY ____	λ ____ BY ____	3-VISUAL
			4-D.R.

REMARKS

00-08 Moored starboard side to berth Sierra Eighteen Fwd. (S-18) U.S. Naval Submarine Base, Pearl Harbor, Hawaii, with standard mooring lines doubled. Material condition yoke (modified) set. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, District and Small Craft. S.O.P.A. is Deputy CINCPAC FLT. 0745 mustered the crew at Quarters. Absentees: None.

Ewo J D Hollis. USN

08-24. Moored as before. 1200 Commenced preparations for getting underway. Set material condition Yoke. 1230 Stationed the special sea and anchor detail. 1240 Completed all preparations for getting underway. Draft: forward 14' 1", aft 16' 1". 1300 Underway for Pearl Harbor Degaussing Range in compliance with verbal orders from the Commanding Officer. Maneuvering to clear the berth. Captain and Navigator on the bridge. 1327 Commenced steering various courses at various speeds transitting Pearl Harbor Channel enroute to Degaussing Range. 1344 Commenced steering various courses at various speeds while running Degaussing range. 1407 C/C to 182, C/S to 6.7 kts. Completed transit of Degaussing Range. Commenced steering various courses at various speeds while maneuvering to enter berth Alfa Three (A-3) forward. 1424 Moored Starboard side to berth Alfa-Three (A-3), U.S. ~~Navy~~ Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Ships present include various units of the U.S. Pacific Fleet, District and Small craft. S.O.P.A. is Deputy CINCPACFLT. 1800 Set material Condition Yoke (modified).

Ens. F.C. Higgins, USNR

APPROVED:

LT James [illegible] U. S. N. COMMANDING

EXAMINED:

LT D D Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
1A-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE TUESDAY 15 FEB 1966
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND:
1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D.R.

REMARKS

00-08 Moored starboard side to berth Alfa-Three (A-3), U.S. Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Material Condition Yoke (modified) set. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, District and Small craft. S.O.P.A. is Deputy CinCPACFLT. 0745 mustered the crew at quarters; absentees, none.

Ens. F.C. Higgins, USNR

08-24 Moored as before. 0924 CinCPACFLT returned and assumed S.O.P.A. 1346 Exercised the crew at General Quarters. 1503 Secured from General Quarters. 1800 Set material condition Yoke (modified) set. 1821 U.S.S. MOCTOBI (ATF-105) moored alongside to port.

LTJG D.F. Johnson, USNR

APPROVED: LT James R [illegible] U. S. N. COMMANDING

EXAMINED: LT R S [illegible] U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE WEDNESDAY 16 FEB. 1966
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION ZONE TIME 0800 L ________ BY ____ λ ________ BY ____	POSITION ZONE TIME 1200 L ________ BY ____ λ ________ BY ____	POSITION ZONE TIME 2000 L ________ BY ____ λ ________ BY ____	LEGEND: 1-CELESTIAL 2-ELECTRONIC 3-VISUAL 4-D.R.

REMARKS

00-08 Moored starboard side to berth alfa-Three (A-3) U.S. Naval Station, Pearl Harbor, Hawaii with four standard mooring lines doubled in a nest of two ships with USS MOCTOBI ATF-105 moored starboard side to alongside to port. Receiving miscellaneous services from the pier. Material Condition Yoke Modified is set. Ships present include Various Units of the U.S. Pacific Fleet, Yard and District Craft. SOPA is CINCPACFLT. 0730 Commenced making preparations for getting underway. Set Material Condition Yoke. Mustered the crew on stations, absentees; None. 0745 Stationed the Special Sea and Anchor Detail 0753 Completed making all preparations for getting underway. 0759 USS MOCTOBI (ATF-105) underway from alongside. Draft: Forward 14'-4" aft 15-8"

LTJG D J Johnson, USNR

08-12 Moored as before. 0808 Underway in accordance with COMFLTTRAGRU OP-ORDER 7-66 for ISE in local OP-Areas. Captain and Navigator on the bridge. OOD has the Conn. Commenced maneuvering to clear the berth. 0814 Commenced maneuvering on various courses at various speeds standing out of Pearl Harbor. 0815 passed buoy 9 abeam to starboard at 80 yds. 0817 passed 95 yds abeam ~~to starboard~~ to buoy ~~#6~~ 6 and 7 0818 passed buoy 5 80 yds abeam to starboard. 0821 passed Buoy 3 ~~and 4~~ abeam to starboard at 95 yds. passed Buoy 4 abeam to port at 100 yds. 0825 passed abeam 100 yds of buoys 1 and 2. Set course 153, speed 9.5 KTS. 0826 Secured Special Sea and Anchor Detail, set regular underway watch. 0837 entered international waters. 0839 C/C to 168° ~~C/S to 9~~ 0847 Commenced engineering casualty drills 0917 Secured from Engineering Casualty drills. C/S to 10.7 KTS 0925 C/C to 080 0949 C/C to 030 1025 C/C to 300 1027 C/C to 310 1032 C/C to 303 1037 C/C to 317 1101 C/C to 330 1102 Stationed Special Sea and Anchor Detail. 1105 Entered inland waters. Captain and Navigator on the bridge. OOD has the Conn. Commenced maneuvering on various courses at various speeds standing into Pearl Harbor Channel. 1115 Passed abeam 100 yds of buoys 1 and 2. 1120 passed abeam 100 yds between buoys 3 and 4. 1127 Passed Buoy 9 abeam to Port at distance of 150 yds. 1129 Commenced approach to berth alfa-Three (A-3). 1133 Moored starboard side to berth alfa-Three (A-3), U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Ships present include Various Units of the U.S. Pacific Fleet, yard and District craft.

DJ.
DJ.
DJ.

LTJG D J Johnson USNR

APPROVED: EXAMINED:

LT James L [illegible] U. S. N. COMMANDING LT R D [illegible] U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96

DATE WED. (Day) 16 (Date) FEB. (Month) 1966.

REMARKS-CONTINUED

08-~~08~~ 12 (Continued). SOPA is CINCPAC FLT. 1140 Secured Special Sea Detail, set the regular inport watch.

LTJG DJ Johnson, USNR

12-16 Moored as before

LTJG MJ Marietta, USN

16-24 Moored as before 1715 USS MOCTOBI ATF-105 moored alongside to Port. 1800 set material condition Yoke Modified.

LTJG MJ Marietta, USN

APPROVED:

LT James H Wilkins U. S. N. COMMANDING

EXAMINED:

LT RD Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
1A-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE THURSDAY (Day) 17 (Date) FEB (Month) 1966

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND:
1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 MOORED STARBOARD SIDE TO BERTH A-3, U.S. NAVAL STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. USS MOCTOBI ATF-105 MOORED ALONGSIDE TO PORT. MATERIAL CONDITION YOKE (MODIFIED) SET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT. 0730 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. 0745 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

LTJG M J Morisette

08-~~24~~12 Moored as before. Morning draft 14'-4" Fwd. 15'-8" aft. Set material condition yoke. 0810 Set the special sea and anchor detail. 0826 Captain and navigator are on the bridge. All stations manned and ready. OOD has the conn. 0828 Underway in accordance with COMFLTRA-OPEU OP-ORD 7-66 for local ops, commenced maneuvering on various courses at various speeds, standing clear of the berth. 0836 passed Buoy #8 abeam to stbd 75yds. base course 153°, speed 9.5 Kts. 0847 passed buoy #1 ~~2~~ abeam to stbd. 100 yards. Secured the special sea and anchor detail and set the towing detail. 0852 C/C 115°. 0902 C/C 135°. 0904 C/C 105°. 0908 C/C 090°, C/S 6.7 Kts. 0910 C/C Base course 180°, commenced exercise Z-6-S with U.S.S. GRAPPLE (ARS-7). Maneuvering on various courses at various speeds, approaching Grapple. 0920 messenger on Grapple. 0924 entered international waters. C/S all stop. 0930 towing pendant on Grapple. 0932 towing pendant connected up. Commenced steering course 180°, building up speed to 6 Kts. with Grapple in tow. 1002 C/C 090°. 1008 commenced slowing to disconnect towing. 800 feet of 2" wire out. 1013 commenced heaving in on tow wire. 1025 pendant cast off from Grapple. 1033 messenger cast off Grapple. 1039 all gear onboard, completed exercise Z-6-S. C/C 307°, C/S 12.3 Kts. 1044 secured the towing detail and set the special sea and anchor detail. Captain & navigator are on the bridge. 1058 C/C 330°.

APPROVED:
LT James K Williams U. S. N. COMMANDING

EXAMINED:
LT DD Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) DATE THURSDAY 17 FEB 1966
(Day) (Date) (Month)

REMARKS-CONTINUED

08-~~24~~12 (cont'd) 1100 entered Inland waters. 1105, JA C/C 333°. 1109 passed buoy #1 to stbd 75 yards. Steering base course 333° entering Pearl Harbor Channel. 1115 C/S 6.7 kts. passed buoy #6 abeam to stbd 75 yards. Commenced maneuvering on various courses at various speeds while approaching berth. 1129 moored starboard side to and outboard of U.S.S. MOCTOBI (ATF-105) Moctobi moored starboard side to berth alfa Three (A-3) U.S. Naval Station, Pearl Harbor Hawaii. SOPA is CinCPacFlt. 1135 Std. mooring lines doubled, secured the Special Sea and Anchor detail, set the Regular inport watch.

CWO J.D. Hollis, USN

12-24 moored as before. 1800 set material condition yoke (modified). 1810 mustered the inport duty section. absentees: none.

C.W.O. J.D. Hollis, USN

APPROVED: LT James R. Williams U. S. N. COMMANDING

EXAMINED: LT R D Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE FRIDAY 18 FEBRUARY 1966
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION ZONE TIME	POSITION ZONE TIME	POSITION ZONE TIME	LEGEND:
0800	1200	2000	1-CELESTIAL
L ____ BY ____	L ____ BY ____	L ____ BY ____	2-ELECTRONIC
λ ____ BY ____	λ ____ BY ____	λ ____ BY ____	3-VISUAL
			4-D. R.

REMARKS

00-08 moored Starboard side to U.S.S. MOCTOBI (ATF-96) with standard mooring lines doubled, in a nest of two ships, Mogtobi moored starboard side to berth alfa Three (A-3) U.S. Naval station, Pearl Harbor, Hawaii. Material condition yoke (modified) set. Receiving telephone and potable water service from the pier. Ships present include various units of the U.S. Pacific Fleet, yard and district craft. S.O.P.A. is CinC PacFlt. 0700 commenced making preparations for getting underway. 0715 material condition yoke set. 0730 set the Special Sea and anchor detail, mustered the crew on stations. Absentees: THOMPSON, SHERMAN L., EN3 686-12-74, USN absent since 0730 this date. 0745 Captain and navigator are on the Bridge. Lt. NASON has the conn. 0755 all stations manned and ready to get underway. 0757 underway in accordance with verbal orders of the Commanding officer and Nav. Sta. port control. Commenced maneuvering on various courses at various speeds standing clear of berth and proceeding to West Loch to load ammunition.

CWO J.L. Hollis, USN

08 — 12 Underway as before. 0807 passed channel buoy no. 11 abeam to port, distance 80 yards. 0808 passed channel buoy no. 13 abeam to port, distance 25 yard. 0809 passed channel buoy no. 1 abeam to port, distance 60 yard. 0811 passed channel buoy no. 3 abeam to port, distance 50 yards. 0815 passed channel buoy no. 5 abeam to port, distance 30 yard. 0818 passed channel buoy no. 9 abeam to port, distance 150 yards. 0821 passed channel buoy no. 10 abeam to starboard, distance 35 yards. 0823 passed channel buoy no. 11 abeam to port, distance 30 yards. 0825 passed channel buoy no. 13 abeam to port, distance 60 yards. 0827 passed channel buoy no. 14 abeam to starboard, distance 125 yards. 0828 maneuvering to go along side the pier. 0838 moored starboard side to berth Whiskey-One (W-1) ~~forward~~, U.S. Naval Ammunition Depot, ~~Pearl Harbor~~ OHAU, Hawaii, with standard mooring lines. S.O.P.A is CinCPacFlt. 0845 Commenced loading ammunition. 0945 secured from loading ammunition. 0959 commenced preparations for getting underway. Set material condition yoke. Stationed the special sea and anchor detail. 1007 completed all preparations for getting underway. Draft: forward 14'6", aft 15'6". 1014 Underway for berth Alfa-Five (A-5) Pearl Harbor, Hawaii in compliance with verbal orders from the commanding officer and Navsta, port control. Maneuvering at various courses at various

APPROVED:

LT James R [illegible] U. S. N. COMMANDING

EXAMINED:

LT R D Nason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) DATE FRIDAY (Day) 18 (Date) FEBRUARY (Month) 1966

REMARKS-CONTINUED

08-12 (continued) speeds, standing clear of berth Whiskey-One (W-1) enroute to Alfa-Five (A-5). Captain, Navigator on the bridge, OOD at the has the Conn. 1017 passed channel buoy no 12 abeam to port, distance 300 yards. 1019 passed Channel buoy no. 11 abeam to starboard, distance 55 yards. 1021 passed channel buoy #10 abeam to port distance 60 yards. 1023 passed channel buoy #9 abeam to starboard distance 20 yards, 1032 passed channel buoy #3 abeam to starboard, distance 30 yards. 1033 passed channels buoy #1 abeam to starboard, distance 65 yards. 1034 passed channel buoy no. 13 abeam to starboard distance 25 yards. 1035 passed channel buoy #11 abeam to starboard, distance 25 yards. 1044 Commenced maneuvering on various courses, at various speeds to go alongside the berth. 1045 moored portside, to berth Alfa-Five (A-5), U.S. Naval Base, Pearl Harbor, Hawaii, with standard mooring lines doubled. Ships present include various units of the U.S. Pacific Fleet, District and Small craft. S.O.P.A. is CinCPacFlt. 1102 Thompson, Sherman, L., 686-12-74, EN3, USN, was delivered on board by the base police having been UA since 0730 THIS DATE.

Ens. F.C. Higgins, USNR

12-24 Moored as before. 1800 Set material Condition Yoke (modified)

Ens. F.C. Higgins, USNR

APPROVED: LT James R. [illegible] U. S. N. COMMANDING

EXAMINED: LT R D [illegible] U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE SATURDAY (Day) 19 (Date) FEBRUARY (Month) 19 66

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L ______ BY ______		
λ ______ BY ______		

POSITION	ZONE	TIME
1200		
L ______ BY ______		
λ ______ BY ______		

POSITION	ZONE	TIME
2000		
L ______ BY ______		
λ ______ BY ______		

LEGEND:
1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D.R.

REMARKS

00-08 Moored portside to berth Alfa-Five (A-5) forward, U.S. Naval Base, Pearl Harbor, Hawaii, with standard mooring lines doubled. Material Condition Yoke (modified) set. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, District and Small craft. S.O.P.A. is CINCPACFLT. 0745 Mustered the crew on stations; absentees, none.

Ens. F.C. Higgins, USNR

08-24 Moored as before 1800 Set Material Condition Yoke Modified.

LTJG D.F. Johnson, USNR

APPROVED: Lt James R [illegible] U. S. N. COMMANDING

EXAMINED: LT RD [illegible] U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE SUNDAY (Day) 20 (Date) FEBRUARY (Month), 19 66.

AT/PASSAGE FROM ________ TO ________

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND:
1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 Moored Port side to berth alfa-Five (a-5), U.S. Naval Station Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving miscellaneous services from the pier. Material Condition Yoke modified is set. Ships present include various units of the U.S. Pacific Fleet, yard and district craft. SOPA is CINCPACFLT. 0745. Mustered the crew on stations, absentees: None.

LTJG DJ Johnson, USNR

08-24 Moored as before. 1800 Set material condition YOKE (modified).

LTJG MJ Morrisette, USN

APPROVED: LT James R Williams U. S. N. COMMANDING

EXAMINED: LT RD Nason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
1A-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE MONDAY 21 FEB , 1966
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

POSITION ZONE TIME	POSITION ZONE TIME	POSITION ZONE TIME	LEGEND:
0800	1200	2000	1-CELESTIAL
L ______ BY ____	L ______ BY ____	L ______ BY ____	2-ELECTRONIC
λ ______ BY ____	λ ______ BY ____	λ ______ BY ____	3-VISUAL
			4-D.R.

REMARKS

00-08 Moored port side to to berth A-5, U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition YOKE (modified) set. Receiving miscellaneous services from the pier. Ships present include various units of the US Pacific Fleet, Yard and District craft. SOPA is CINCPACFLT. 0745 Mustered the crew at quarters. Absentees. NONE

LTJG M J Morisette, USN

08-24 Moored as before. 1145 Commenced making preperations for getting underway, draft Fwd. 13'-10" aft. 15'-10". 1210 Set the special sea and anchor detail. Captain and navigator are on the Bridge. 1225 all stations manned and ready. OOD has the conn. 1230 Underway in accordance with Com Fltra gpw opord 8-66. maneuvering on various courses and speeds standing clear of berth. 1234 C/C 170°, speed 9.5 Kts. 1236 passed buoy ~~abeam~~ # 9 abeam to Stbd. C/C 153° Base 1236 passed buoy 7 abeam to stbd, 80 yards. C/S 12.3 Kts. 1243 C/C 170°, passed buoy #1 abeam to stbd, approx. 50 yards. 1245 C/C 150°, 1257 entered International waters. C/S 3.3 Kts. 1310 Commenced maneuvering on various courses at various speeds conducting exercise Z-10-CC with USCG PLAINTREE. (W-307) 1400 completed exercise Z-10-CC C/C 309, C/S 12.3 Kts. 1417 C/C 311°. 1431 Set the Special Sea and anchor detail, Captain and navigator are on the Bridge. OOD has the Conn. 1432 entered Inland waters. 1433 C/C 335°. Base Course 333°, 1438 C/S 9.5 Kts. 1439 passed Buoy #2 to stbd. 75 yards. 1444 passed buoy # 4 abeam to stbd. 80 yards. 1446 C/S 6.7 Kts. C/C 350° - passed buoy #6 abeam to stbd. 70 yards. 1449 C/S 3.3 Kts. Commenced maneuvering on various courses and speeds while approaching berth. 1457 moored port side to berth Alfa Five (A-5) U.S. Naval Station Pearl Harbor, Hawaii. 1501 Secured the special Sea and anchor detail. Std. mooring lines doubled and secured. Set the regular in-

APPROVED: EXAMINED:

LT James R U. S. N. COMMANDING LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96)

DATE MONDAY 21 FEB. 1966
(Day) (Date) (Month)

REMARKS-CONTINUED

port watch. S.O.P.A. is CinCPacFlt. 1800 set material condition yoke (modified). 1810 mustered the duty section for collision drill instructions. absentees: none.

CWO J L Hollis. USN

APPROVED:

LT James R Williams U. S. N. COMMANDING

EXAMINED:

LT R D Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE TUESDAY 22 FEBRUARY 1966
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D.R.

REMARKS

00-08 moored portside to Berth alfa Five (A-5), U.S. naval Station, pearl Harbor, Hawaii with std. mooring lines doubled. material condition yoke (modified) set. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, district and small craft. S.O.P.A. is CinCPacFlt. 0745 mustered the crew on stations, absentees: none.

CWO J.L. Hollis, USN

08-24 Moored as before. 1800 Set material Condition Yoke (modified).

Ens F.C. Higgins, USNR

APPROVED:
LT James R Williams U. S. N. COMMANDING

EXAMINED:
LT R S Rose U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
1A-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE WED (Day) 23 (Date) FEB (Month). 1966

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

POSITION ZONE TIME	POSITION ZONE TIME	POSITION ZONE TIME	LEGEND:
0800	1200	2000	1-CELESTIAL
L ____ BY ____	L ____ BY ____	L ____ BY ____	2-ELECTRONIC 3-VISUAL
λ ____ BY ____	λ ____ BY ____	λ ____ BY ____	4-D. R.

REMARKS

00-08 Moored portside to berth (A-5) Alfa Line, U.S. Naval Station Pearl Harbor, Hawaii, with standard mooring lines doubled. Material Condition Yoke (modified) is set. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, Yard and District Craft. S.O.P.A. is CinCPacFlt. ~~0700~~ 0645 Commenced preparations for getting underway. 0700 Mustered the crew on stations. 0710. Stationed the special sea detail. 0723 Completed all preparations for getting underway. Draft forward 13'11", aft 16'0". 0727 Underway for local op area in compliance with COMFLTRAGRU weekly op-Order 8-66. 0728 Maneuvering to clear the berth. Captain and Navigator on the bridge. 0732 Steering various courses at various speeds standing out of Pearl Harbor. 0740 Secured the special sea detail. 0746. C/C to 113°. 0757 Entered international waters N JH

Ens F.C. Higgins, USNR

mtm 08-12 Underway As Before. 0801 C/S To 12Kts. 0835 C/C To 220 0844 C/C To 285. 0859 Commenced Z-10-CC Exercise With USS Moctobi ATF-~~96~~ 105. Commenced Maneuvering on Various Courses At Various Speeds While Conducting Scheduled Exercises. 0950 Completed Z-10-CC Exercise. Stationed The Towing Detail. Made All Preparations For Being Towed. 0955 Commenced Z-6-S Exercise. 1030 USS Moctobi ATF-105 Commenced Towing This Vessel. 1045 USS Moctobi ATF-105 Ceased Towing And Cast Off Towing Hawser. 1105 Made All Preparations For Towing. Commenced Approach To Moctobi. 1122 Tow Hawser Secured To Moctobi. 1129 Tow Hawser Clear Of Moctobi. Completed Z-6-S Exercise. 1142 C/C To 290, C/S To 12 Kts.

LTJG M.J. Morisette, USN

12-16 Underway as before. c/s to 6.7 KTS. 1207 c/s to 12.3 KTS. 1209 c/c to 300° 1241 c/s to 3.3 KTS. 1242. Commenced providing Services for Z-10-CC, Surface Tracking for USCG Ship Plaintree (W-307). Steering Various Courses at Various Speeds while Conducting Z-10-CC. 1345 Secured from Z-10-CC and Commenced Z-13-CC and Z-4-0, Tactical drills, with USCGS PLAINTREE. Commenced Maneuvering on various Courses at Various speeds while Conducting tactical drills. 1545. Secured from Tactical drills. 1549 c/s to 12.3 KTS c/c to 025 1553. c/c to 030 N

LTJG D.F. Johnson, USNR.

APPROVED: EXAMINED:

LT U. S. N. COMMANDING LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96)

DATE WEDNESDAY 23 FEB. 1966
(Day) (Date) (Month)

REMARKS-CONTINUED

16-20 Underway as before. 1607 c/c 035°, 1635 c/c 333°, set the Special sea and anchor detail. Captain and Navigator are on the Bridge, OOD has the Conn. 1639 all stations manned and ready to enter port, Entered Inland waters. 1644 passed Sea Buoy #2 abeam to stbd. 100 yds. C/S 9.5 KTS. 1650 passed Buoy #4 abeam to stbd. 75 yds. 1654 passed sea buoy #6 abeam to stbd. 75 yds, commenced maneuvering on various courses and speeds approaching Berth. 1702 moored port side to Berth Alfa Five (A-5) US Naval Station, Pearl Harbor, Hawaii. S.O.P.A. is CinCPacFlt. 1705 Std. mooring lines doubled, secured the special sea and anchor detail, set the regular inport watch.

CWO J L Hollis, USN

16-20 (Continued) Moored as before. 1800 set Material Condition Yoke Modified. 1730 Target sled, Series 40 sled, Serial Number 574 moored alongside to starboard.

LTJG D F Johnson, USNR

20-24 Moored as before

LTJG D F Johnson, USNR

APPROVED:

LT James R U. S. N. COMMANDING

EXAMINED:

LT D D Ross U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE THURSDAY (Day) 24 (Date) FEB (Month) 19 66

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

POSITION ZONE TIME	POSITION ZONE TIME	POSITION ZONE TIME	LEGEND:
0800	1200	2000	1-CELESTIAL 2-ELECTRONIC
L ______ BY ____	L ______ BY ____	L ______ BY ____	3-VISUAL
λ ______ BY ____	λ ______ BY ____	λ ______ BY ____	4-D. R.

REMARKS

00-08 Moored port side to berth alfa-Five (A-5), U.S. Naval
Station, Pearl Harbor, Hawaii with standard mooring lines
doubled. Series 40. target sled serial No. 574., ~~alongside~~ Moored alongside DJ
to starboard. Receiving miscellaneous services from the pier. Material
Condition Yoke Modified is set. Ships present include various
Units of the U.S. Pacific Fleet Yard and District Craft.
SOPA is ~~Dr~~ CINCPACFLT, 0600 Deputy CINCPACFLT assumes DJ
SOPA. Commenced making preparations for getting underway. Mustered
the crew at quarters, absentees: MC MURRAY, Bobby C, EN2,
468 26 26, USN, FRYDERLAND, DONALD G, CS3, 390 13 92,
USN, UA without authority since 0530 this date. 0610
Stationed special sea and anchor Detail. 0620 Completed all
preparations for getting underway. Draft: Forward 14'-2", aft
16'-8". 0634 Underway in accordance with COMFLETRAGRU
OP-ORDER 8-46 enroute to op area G-2, with series 40
target sled in tow, to provide services for gunnery shoots.
Captain and Navigator are on the bridge. The OOD has the Conn.
Maneuvering to clear berth. 0640 Commenced steering various
courses at various speeds standing out of Pearl Harbor Channel.
0637 Commenced streaming sled. 0648 Sled streamed to 300 ft
and on brake. 0657 Streamed sled to 600 ft. 0700 Passed between
~~abeam of~~ sea buoys 1 and 2 outbound. 0701 Streamed target to DJ
1000 ft. 0714. Secured Special sea and anchor detail, set
the regular ~~inport~~ underway watch. Entered International DJ
waters. 0715 c/c to 210° c/s to ~~100~~ 12.3 KTS. DJ

LTJG D.J. Johnson, USNR

08-12 Underway as before. 0905 c/s to 9.5 kts 0906 Commenced streaming sled
0910 C/C to 250°. * 0913 C/C to 205° * 0939 c/s to 6.7 kts* FH
0950 COMMENCED Z-21-6 WITH U.S.S. MOCTOBI (ATF-105)
1002 c/s to 8 ~~9.5~~ kts 1006. c/c to 180°. 1052 c/s to 9.5 kts. FH
COMPLETED Z-21-6 with U.S.S. MOCTOBI (ATF-105). 1102 c/c to
298°. c/c to 290°. 1115 c/c to 000°. c/s to 8 kts. 1129
Commenced Z-27-6 with U.S.S. MOCTOBI (ATF-105). 1134
COMPLETED Z-27-6 with U.S.S. MOCTOBI (ATF-105). c/s to 4
kts. 1151 c/c to 030°. 1156 c/s to 9.5 kts 1159 c/s to 10.1 kts
*0943 SLED VEERED TO 3200 FT AND ON THE BRAKE

Ens. F.C. Higgins, USNR

APPROVED: EXAMINED:

LT U. S. N. COMMANDING LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) DATE THURSDAY 24 FEB. 1966
(Day) (Date) (Month)

REMARKS-CONTINUED

12-16 Underway as before. 1307 C/S 11.3 Kts. 1419 C/C 050°, C/S 12.3 Kts. 1455 C/C 053°. 1515 C/S 6.7 Kts. commenced heaving in target sled. C/C 040°. 1535 target sled at 300 feet on the Brake. C/C 340°, C/S 8.3 Kts, entered inland waters. Set the special sea and anchor detail. The Captain and Navigator are on the bridge. 1541 C/C 333° Base, all stations manned and ready to enter port. 1547 passed sea buoy #2 to stbd, 100 yards. 1549 C/S 3.3 Kts. heaving in on the target sled. 1558 target sled up close astern.

CWO JL Hollis. USN

16-20 Underway as before. 1600 YTL-571 along target sled starboard side too. 1607 passed buoy #5 abeam to stbd. 75 yards. 1609 passed services of target sled #(574) to YTL-571. 1611 passed buoy #6 to stbd. 75 yards. Commenced steering various courses at various speeds while approaching berth. 1620 moored port side to berth Alfa Five (A-5) U.S. Naval Station Pearl Harbor, Hawaii. SOPA is Deputy Cincpac Fleet. 1623 Std. mooring lines doubled. Secured the special sea and anchor detail. Set the in port watch.

CWO JL Hollis, USN

16-20 (Continued) Moored as before. 1800 Set material condition yoke (modified)

LTJG MJ Morisette, USN

20-24 Moored as before. 2224 FRYDENLUND, DONALD E, 390-13-92, CS3, USN RETURNED ON BOARD HAVING BEEN AWOL SINCE 0600 THIS DATE. 2024 CINCPACFLT RETURNED AND ASSUMED SOPA.

LTJG MJ Morisette

APPROVED: EXAMINED:

LT James R Williams U. S. N. COMMANDING LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE FRIDAY 25 FEB . 1966
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION ZONE TIME 0800 L ______ BY ____ λ ______ BY ____	POSITION ZONE TIME 1200 L ______ BY ____ λ ______ BY ____	POSITION ZONE TIME 2000 L ______ BY ____ λ ______ BY ____	LEGEND: 1-CELESTIAL 2-ELECTRONIC 3-VISUAL 4-D.R.

REMARKS

00-08 Moored port side to berth A-5 U.S. Naval Station, Pearl Harbor Hawaii with standard mooring lines doubled. Material condition YOKE (modified) is set. Receiving miscellaneous services from the pier. Ships present include various units of the US Pacific Fleet, yard and district craft. SOPA is ~~DE~~ CINCPACFLT. 0415 Commenced making preparations for getting underway. *0440 Completed all preparations for getting underway. *0430 Mustered the crew on station. Absentees: McMURRY, BOBBY C. 468-26-26, EN2, USN, AWOL SINCE 0600, 24 FEBRUARY 1966. 0440 Stationed the special sea and anchor detail 0454 Underway in accordance with COMFLTRAGRU Weekly op-sked 8-66 to conduct local operations. Readiness condition IV and material condition YOKE set. Captain and navigator on the bridge; OOD at the conn. Commenced steering various courses at various speeds to conform to the Pearl Harbor channel. 0506 Passed buoy 9 abeam to starboard, 65 yds. 0509 Passed buoy 7 abeam to starboard, 65 yds. 0511 Passed buoy 3 abeam to starboard, 80 yds. 0518 With buoy 1 abeam to starboard, distance 70 yards, set course 155 speed 12 enroute assigned op-area. Secured the special sea and anchor detail. 0523 c/c TO 170. 0525 Entered international waters. 0526 c/c TO 266.

MGM

LTJG M G Morisette, USN

w ~~04~~ 00-08 (continued) Underway as before. 0532 c/c to 9.5 KTS. 0543 c/c to 260 0625 c/c to 330

LTJG D J Johnson, USNR.

08-12 Underway as before. 0848 c/c TO 000. 0935 c/s TO 7KTS. 1010 Streamed spar for aircraft rocket firing. 1019 Aircraft commenced firing exercises. 1022 c/s TO 10Kts. 1115 c/c TO 220. c/s TO 5Kts.

LTJG M G Morisette, USN

APPROVED: EXAMINED:

LT James R Williams U. S. N. COMMANDING LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 DATE FRIDAY 25 FEB, 1966
(Day) (Date) (Month)

REMARKS-CONTINUED

12-16 Underway as before. 1205 C/S 6.7 KTS. 1207 C/S 3.3 KTS. 1209 C/S 6.7 KTS. 1223 C/C 200°. 1229 C/C 020°, C/S 9.5 Kts. 1233 C/S 6.7 Kts. 1443 C/C 130°. 1507 C/C 180°; Completed services to aircraft of COMAIRWING TWO. Released to return to port. 1512 C/C 155°. 1527 C/S 9.5 Kts. 1529 C/S 12.3 Kts.

CWO J L Hollis, USN

16-18 Underway as before. 1634 C/C to 145° 1637 C/S to 6.7 kts. 1645 C/S to 12.8 kts. 1700 C/S to 13.3 kts. 1715 C/S to stop, C/S to 12.3 kts. 1727 C/S to 13.3 1750 C/C to 086°.

Ens. F.C. Higgins, USNR

18-20 Underway as before. 1810 C/C to 073 1825 C/S to 12.3 Kts. 1830 Stationed Special Sea and Anchor Detail. 1831 entered inland waters. Captain and Navigator on the bridge OOD has the Conn. Commenced steering various courses at various speeds standing into Pearl Harbor. 1839 Passed abeam of Sea Buoys 1 and 2 inbound. 1846 Commenced making approach to berth Alfa-Three (A-3). 1856 Moored Starboard side to berth Alfa-Three, A-3, U.S. Naval Station, Pearl Harbor Hawaii with standard mooring lines doubled. 1901 Secured special Sea and Anchor Detail, set the regular ~~under~~ inport watch.

DJ

LTJG D J Johnson USNR.

20-24 Moored as before.

CWO J L Hollis, USN

APPROVED: EXAMINED:

LT James L [illegible] U. S. N. COMMANDING LT [illegible] U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
1A-0105-401-4601

DECK LOG - REMARKS SHEET

W

USS ABNAKI ATF-96 ZONE DESCRIPTION HOW DATE SATURDAY 26 FEBRUARY 19 66
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 Moored starboard side to berth alfa three (A-3) U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition yoke (modified) set. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, district and small craft. S.O.P.A. is CinCPacFlt. 0745 mustered the crew on station. Absentees: McMURRAY, Bobbie C., EN2, 468-26-26, USN, U.A since 0600 24 February 1966.

CWO J.L. Hollis, USN

08-24 Moored as before. 1800 Set material condition yoke (modified).

Ens. F.C. Higgins, USNR

APPROVED:

LT U. S. N. COMMANDING

EXAMINED:

LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
1A-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE SUNDAY (Day) 27 (Date) FEBRUARY (Month) 1966

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND:
1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 Moored Starboard side to berth alfa-three (A-3), U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Material Condition Yoke (modified) set. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, District and Small craft. S.O.P.A. is CinCPacFlt. 0745 Mustered the crew on stations; absentees: McMurray, Boffie, C., EN2, 468-26-26, USN, UA since ~~0600~~ 0530, 24 February, 1966.

Ens. F.C. Higgins, USNR

08-24 Moored as before. 1800 set Material Condition Yoke Modified. 1930 McMurray, Bobby C, EN2, 468 26 26, USN, returned aboard having been UA since 0530 24FEB 1966, a period of 3 days and 14 hours.

LTJG D.F. Johnson, USNR

APPROVED: EXAMINED:

LT James R U. S. N. COMMANDING LT U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
1A-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE MONDAY 28 FEB. 1966
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION ZONE TIME	POSITION ZONE TIME	POSITION ZONE TIME	LEGEND:
0800	1200	2000	1-CELESTIAL
L ______ BY ____	L ______ BY ____	L ______ BY ____	2-ELECTRONIC
λ ______ BY ____	λ ______ BY ____	λ ______ BY ____	3-VISUAL
			4-D.R.

REMARKS

00-08 Moored starboard side to berth Alfa-Three (A-3), U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving miscellaneous services from the pier. Ships present include) Various Units of the U.S. Pacific Fleet, Yard and District craft. Material Condition Yoke modified is set. SOPA is CINCPACFLT. 0745 Mustered the crew at quarters, absentees: None.

LTJG WA Johnson, USNR

08-24 Moored as before. 0920 Commenced making preparations for getting underway. 0930 Set material condition YOKE. 0940 Completed all preparations for getting underway. Set the special sea and anchor detail. 0954 Underway in accordance with verbal orders of port control to shift berths. Captain and navigator on the bridge; OOD at the conn. Commenced steering various courses at various speeds while shifting berths from A-3 to S-18. 1003 Passed buoy 11 abeam to starboard, 100 yards. ~~1010~~ 1004 Passed buoy mDM 13 abeam to starboard 150 yards. 1010 Passed buoy 15 abeam to port, 75 yards. 1012 Passed buoy 22 abeam to starboard, 25 yards. 1033 Moored starboard side to berth S-18 (Fwd), U.S. Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. All conditions remain as before. 1037 Secured the special sea and anchor detail. 1800 Set material condition YOKE (modified).

LTJG MD Morissette, USN

APPROVED: EXAMINED:

LT James R. Williams U.S.N. COMMANDING LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH